

**Table S1: Cannabis Experience Questionnaire (test-retest results):**

		Test		Retest		Cohen's d or ICC	P
		N	%	N	%		
ever used cannabis	NO	21	65.6	21	65.6	1.00+	<0.001
	YES	11	34.4	11	34.4		
age first tried cannabis, mean value (SD) median (int. range)		15.4 (5.3)	16 (15 – 18)	15.5 (5.4)	16 (15 – 18)	1.00++	<0.001
friends were using it	NO	1	11.1	0	0.0	0.61+	0.024
	YES	8	88.9	9	100.0		
family members were using it	NO	4	80.0	2	66.7	1.00+	0.083
	YES	1	20.0	1	33.3		
to feel better	NO	4	100.0	2	100.0	1.00+	0.042
	YES	0	0.0	0	0.0		
Other	NO	1	25.0	0	0.0	0.40+	0.193
	YES	3	75.0	2	100.0		
currently use cannabis	NO	4	40.0	7	63.6	0.07+	0.778
	YES	6	60.0	4	36.4		
month use cannabis	NO	6	85.7	-	-	-	-
	YES	1	14.3	-	-		
like effect	NO	1	20.0	0	0.0	1.00+	0.023
	YES	4	80.0	3	100.0		
feel relaxed	NO	0	0.0	0	0.0	1.00+	0.079
	YES	2	100.0	1	100.0		
less nervous	NO	0	0.0	-	-	-	-
	YES	1	100.0	-	-		
more sociable	NO	1	100.0	-	-	-	-
	YES	0	0.0	-	-		
Other	NO	1	33.3	-	-	-	-
	YES	2	66.7	-	-		

<b>Wish to stop cannabis one day</b>	NO	1	11.1	2	20.0	1.00+	0.003
	YES	8	88.9	8	80.0		
<b>Cannabis affect his/her health</b>	NO	4	44.4	3	30.0	0.53+	0.073
	YES	5	55.6	7	70.0		
<b>How long since he/she has stopped cannabis, mean value (SD) median (int. range)</b>		25 (28.3)	19.8 (2 – 48)	36 (0)	36 (36 – 36)	-	-
	I smoke/smoked it in a joint with tobacco	7	63.6	8	80.0	0.59+	0.002
	I smoke/smoked it in a joint without tobacco	2	18.2	1	10.0		
<b>mostly use cannabis</b>	I smoke/smoked it using a bong	1	9.1	0	0.0		
	I eat/ate or drink/drank it	1	9.1	1	10.0		
	Other	0	0.0	0	0.0		
<b>how often use</b>	every day	6	54.5	7	70.0	0.80+	0.001
	(more than) once a week	3	27.3	2	20.0		
	a few times each month	0	0.0	0	0.0		
	a few times each year	0	0.0	0	0.0		
	only once or twice during the day	2	18.2	1	10.0		
	during the evening	3	27.3	3	30.0	1.00+	<0.001
	during the day and evening	2	18.2	1	10.0		
<b>when used</b>		4	36.4	4	40.0		
	at weekends	1	9.1	1	10.0		
	during weekends and weekdays	1	9.1	1	10.0		
	socially (with friends)	9	81.8	7	77.8	1.00+	0.003
<b>Use</b>	on my own	2	18.2	2	22.2		
	both socially/on my own	0	0.0	0	0.0		
<b>money spent</b>	less than B£ 2.50	5	45.5	5	50.0	0.69+	0.001

	B£2.50 - B£5	0	0.0	0	0.0		
	B£6 - B£10	3	27.3	1	10.0		
	B£11 - B£15	0	0.0	0	0.0		
	B£16 - B£20	0	0.0	0	0.0		
	above B£20	3	27.3	4	40.0		
<b>Type</b>	hash (cannabis resin/solid)	4	44.4	5	55.6	0.83+	<0.001
	imported herbal cannabis	2	22.2	2	22.2		
	home-grown skunk/sensimilla	0	0.0	0	0.0		
	super skunk	2	22.2	1	11.1		
	other	1	11.1	1	11.1		
	It is very clean	1	3.1	29	90.6	-	-
	He considers it has better quality	1	3.1				
	Good resilience and vitality	1	3.1	1	3.1		
	His friends smoked the same	1	3.1	1	3.1		
	Better mood	1	3.1	1	3.1		
<b>why type</b>	No particular reason	1	3.1				
	rarely or never	6	50.0	3	27.3	0.68++	0.054
	from time to time	5	41.7	6	54.5		
	sometimes	0	0.0	0	0.0		
	more often than not	1	8.3	2	18.2		
	almost always	0	0.0	0	0.0		
<b>Fearful (how often)</b>	neutral	3	30.0	5	45.5	0.73+	0.023
	good	0	0.0	0	0.0		
	bad	7	70.0	6	54.5		
<b>Fearful (type of experience)</b>	rarely or never	7	58.3	4	36.4	0.75++	0.025
	from time to time	3	25.0	4	36.4		
	sometimes	1	8.3	1	9.1		
<b>crazy, mad(how often)</b>							

	more often than not	1	8.3	2	18.2		
	almost always	0	0.0	0	0.0		
<b>crazy, mad(type of experience)</b>	neutral	4	44.4	6	54.5	0.75+	0.028
	good	0	0.0	0	0.0		
	bad	5	55.6	5	45.5		
	rarely or never	5	41.7	3	27.3	0.78++	0.017
<b>Nervy(how often)</b>	from time to time	3	25.0	2	18.2		
	sometimes	2	16.7	4	36.4		
	more often than not	2	16.7	2	18.2		
	almost always	0	0.0	0	0.0		
<b>Nervy(type of experience)</b>	neutral	5	45.5	6	54.5	0.80+	0.010
	good	0	0.0	0	0.0		
	bad	6	54.5	5	45.5		
	rarely or never	5	41.7	4	36.4	0.95++	<0.001
	from time to time	3	25.0	2	18.2		
<b>Suspicious(how often)</b>	sometimes	2	16.7	4	36.4		
	more often than not	2	16.7	1	9.1		
	almost always	0	0.0	0	0.0		
	neutral	5	50.0	7	63.6	0.60+	0.033
<b>Suspicious(type of experience)</b>	good	1	10.0	0	0.0		
	bad	4	40.0	4	36.4		
	rarely or never	4	33.3	2	18.2	0.77++	0.021
	from time to time	3	25.0	3	27.3		
<b>feeling happy(how often)</b>	sometimes	4	33.3	6	54.5		
	more often than not	1	8.3	0	0.0		
	almost always	0	0.0	0	0.0		
	neutral	3	30.0	4	36.4	0.63+	0.009
<b>feeling happy(type of experience)</b>	good	5	50.0	5	45.5		
	bad	2	20.0	2	18.2		
	rarely or never	6	50.0	3	27.3	0.87++	0.003
<b>full of plans, ideas(how often)</b>	from time to time	1	8.3	1	9.1		
	sometimes	2	16.7	4	36.4		
	more often than not	3	25.0	3	27.3		

	almost always	0	0.0	0	0.0		
<b>full of plans, ideas(type of experience)</b>	neutral	5	55.6	6	54.5	1.00+	<0.001
	good	3	33.3	3	27.3		
	bad	1	11.1	2	18.2		
<b>hearing voices(how often)</b>	rarely or never	8	66.7	6	54.5	0.82++	0.009
	from time to time	1	8.3	1	9.1		
	sometimes	2	16.7	4	36.4		
	more often than not	0	0.0	0	0.0		
<b>hearing voices(type of experience)</b>	almost always	1	8.3	0	0.0		
	neutral	5	62.5	8	72.7	0.74+	0.013
	good	1	12.5	0	0.0		
	bad	2	25.0	3	27.3		
<b>understand the world(how often)</b>	rarely or never	8	66.7	5	45.5	0.92++	0.001
	from time to time	2	16.7	3	27.3		
	sometimes	0	0.0	1	9.1		
	more often than not	2	16.7	2	18.2		
<b>understand the world(type of experience)</b>	almost always	0	0.0	0	0.0		
	neutral	5	62.5	7	63.6	1.00+	<0.001
	good	2	25.0	2	18.2		
	bad	1	12.5	2	18.2		
<b>seeing visions(how often)</b>	rarely or never	10	83.3	8	72.7	0.86++	0.004
	from time to time	2	16.7	3	27.3		
	sometimes	0	0.0	0	0.0		
	more often than not	0	0.0	0	0.0		
<b>seeing visions(type of experience)</b>	almost always	0	0.0	0	0.0		
	neutral	5	71.4	8	72.7	1.00+	0.001
	good	1	14.3	1	9.1		
	bad	1	14.3	2	18.2		
<b>Long Term use (LTU) age 0-11 use</b>	NO	21	100.0	14	100.0	1.00+	<0.001
	YES	0	0.0	0	0.0		
<b>LTU age 12-16 use</b>	NO	9	60.0	8	57.1	1.00+	0.001
	YES	6	40.0	6	42.9		
<b>LTU age 12-16 frequency</b>	every day	3	42.9	5	71.4	0.96++	0.001

	more than once a week	1	14.3	0	0.0		
	about once a week	0	0.0	0	0.0		
	about once/twice a month	1	14.3	0	0.0		
	a few times a year	0	0.0	0	0.0		
	about once a year	0	0.0	0	0.0		
	I have only used cannabis once or twice	2	28.6	2	28.6		
	joint	3	60.0	5	71.4	0.58+	0.050
<b>LTU age 12-16 quantity</b>	2 or 3 joints	1	20.0	0	0.0		
	4 or more joints	1	20.0	2	28.6		
<b>LTU age 12-16 mostly shared</b>	NO	1	14.3	1	16.7	1.00+	0.014
	YES	6	85.7	5	83.3		
	hash (cannabis resin/solid)	2	28.6	3	42.9	0.42+	0.055
	imported herbal cannabis	2	28.6	2	28.6		
<b>LTU age 12-16 type</b>	home-grown skunk/sensimilla	0	0.0	0	0.0		
	super skunk	2	28.6	1	14.3		
	other	1	14.3	1	14.3		
	Socially (with friends)	4	66.7	4	57.1	1.00+	0.001
<b>LTU age 12-16 setting</b>	On my owns	1	16.7	1	14.3		
	Both	1	16.7	2	28.6		
<b>LTU age &gt;17 use</b>	NO	9	52.9	5	35.7	0.85+	0.001
	YES	8	47.1	9	64.3		
	every day	3	37.5	5	62.5	0.99++	<0.001
	more than once a week	2	25.0	1	12.5		
	about once a week	1	12.5	1	12.5		
<b>LTU age &gt;17 frequency</b>	about once/twice a month	0	0.0	0	0.0		
	a few times a year	0	0.0	0	0.0		
	about once a year	0	0.0	0	0.0		

	I have only used cannabis once or twice	2	25.0	1	12.5		
<b>LTU age &gt;17 quantity</b>	joint	4	50.0	4	50.0	0.75+	0.013
	2 or 3 joints	3	37.5	4	50.0		
	4 or more joints	1	12.5	0	0.0		
<b>LTU age &gt;17 mostly shared</b>	NO	0	0.0	0	0.0	1.00+	<0.001
	YES	7	100.0	7	100.0		
	hash (cannabis resin/solid)	4	57.1	6	75.0	0.74+	0.001
<b>LTU age &gt;17 type</b>	imported herbal cannabis	1	14.3	1	12.5		
	home-grown skunk/ sensimilla	0	0.0	0	0.0		
	super skunk	1	14.3	0	0.0		
	other	1	14.3	1	12.5		
<b>LTU age &gt;17 setting</b>	Socially (with friends)	5	62.5	5	62.5	0.76+	0.004
	On my owns	1	12.5	2	25.0		
	Both	2	25.0	1	12.5		
<b>Pattern of Cannabis Use Changed Overtime</b>	NO	1	3.1	0	0.0	-	-
	Disappointment	1	3.1	1	3.1		
<b>LTU Tolerance increase amounts</b>	NO	14	77.8	9	64.3	0.82+	0.004
	YES	4	22.2	5	35.7		
<b>&lt;12months Tolerance increased amount</b>	NO	13	72.2	9	64.3	0.66+	0.023
	YES	5	27.8	5	35.7		
<b>LTU Tolerance diminished effect</b>	NO	14	77.8	9	64.3	0.82+	0.004
	YES	4	22.2	5	35.7		
<b>&lt;12monthsTolerance diminished effect</b>	NO	13	72.2	9	64.3	0.66+	0.023
	YES	5	27.8	5	35.7		
<b>LTU Withdrawal characteristic</b>	NO	14	77.8	9	64.3	0.82+	0.004
	YES	4	22.2	5	35.7		
<b>&lt;12months Withdrawal characteristic</b>	NO	13	72.2	9	64.3	0.66+	0.023
	YES	5	27.8	5	35.7		
<b>LTU Withdrawal avoid</b>	NO	14	77.8	9	64.3	0.82+	0.004

	YES	4	22.2	5	35.7		
<b>&lt;12monthsWithdrawal avoid</b>	NO	13	72.2	9	64.3	0.66+	0.023
	YES	5	27.8	5	35.7		
<b>LTU larger amounts or longer period</b>	NO	14	77.8	9	64.3	0.82+	0.004
	YES	4	22.2	5	35.7		
<b>&lt;12months larger amounts or longer period</b>	NO	13	72.2	8	57.1	0.83+	0.003
	YES	5	27.8	6	42.9		
<b>LTU cut down or control substance use</b>	NO	14	82.4	9	64.3	0.79+	0.007
	YES	3	17.6	5	35.7		
<b>&lt;12months cut down or control substance use</b>	NO	13	76.5	8	57.1	0.81+	0.006
	YES	4	23.5	6	42.9		
<b>LTU time spent obtain substance</b>	NO	14	82.4	9	64.3	0.79+	0.007
	YES	3	17.6	5	35.7		
<b>&lt;12months time spent obtain substance</b>	NO	13	76.5	8	57.1	0.81+	0.006
	YES	4	23.5	6	42.9		
<b>LTU activities given up</b>	NO	14	82.4	9	64.3	0.79+	0.007
	YES	3	17.6	5	35.7		
<b>&lt;12months activities given up</b>	NO	13	76.5	8	57.1	0.81+	0.006
	YES	4	23.5	6	42.9		
<b>LTU continued despite knowledge</b>	NO	14	82.4	9	64.3	0.79+	0.007
	YES	3	17.6	5	35.7		
<b>&lt;12months continued despite knowledge</b>	NO	12	70.6	7	50.0	0.82+	0.006
	YES	5	29.4	7	50.0		
<b>Inhalants Use</b>	NO	32	100.0	32	100.0	1.00+	<0.001
	YES	0	0.0	0	0.0		
<b>Crack (current use&lt;12 months)</b>	NO	32	100.0	32	100.0	1.00+	<0.001
	YES	0	0.0	0	0.0		
<b>Cocaine (current use&lt;12 months)</b>	NO	31	96.9	32	100.0	0.65+	<0.001
	YES	1	3.1	0	0.0		
<b>Cocaine (use during last week)</b>	NO	1	100.0	-	-	-	-
	YES	0	0.0	-	-		
<b>Cocaine, mean value (SD) median (int. range) (number of weeks over last month)</b>				1 (1 – 1)	-	-	-



	NOT APPLICABLE	1	100.0	-	-	-	-
<b>Cocaine (frequency)</b>	DAILY	0	0.0	-	-	-	-
	WEEKLY	0	0.0	-	-	-	-
	LESS	0	0.0	-	-	-	-
<b>Cocaine (dependence)</b>	NO	1	100.0	-	-	-	-
	YES	0	0.0	-	-	-	-
<b>Cocaine (abuse)</b>	NO	1	100.0	-	-	-	-
	YES	0	0.0	-	-	-	-
<b>Cocaine mean value (SD) median (int. range)</b>							
<b>(lifetime use, age of first use)</b>		18 (-)	18 (18 – 18)	-	-	-	-
<b>Cocaine (lifetime use, regularly use)</b>	NO	1	100.0	-	-	-	-
	YES	0	0.0	-	-	-	-
<b>Cocaine (age of most regular period)</b>	DAILY	0	0.0	-	-	-	-
	WEEKLY	0	0.0	-	-	-	-
	LESS	1	100.0	-	-	-	-
<b>Cocaine (frequency of most regular period)</b>	NO	1	100.0	-	-	-	-
	YES	0	0.0	-	-	-	-
<b>Cocaine (dependence lifetime)</b>	NO	1	100.0	-	-	-	-
	YES	0	0.0	-	-	-	-
<b>Cocaine (abuse lifetime)</b>	USED IT ONLY ONCE	1	3.1	-	-	-	-
<b>Amphetamines/Stimulants (current use&lt;12 months)</b>	NO	31	96.9	32	100.0	0.65+	<0.001
	YES	1	3.1	0	0.0		
<b>Amphetamines/Stimulants (use during last week)</b>	NO	1	100.0	-	-	-	-
	YES	0	0.0	-	-	-	-
	NOT APPLICABLE	0	0.0	-	-	-	-
<b>Amphetamines/Stimulants (frequency)</b>	DAILY	0	0.0	-	-	-	-
	WEEKLY	0	0.0	-	-	-	-
	LESS	1	100.0	-	-	-	-
<b>Amphetamines/Stimulants (dependence)</b>	NO	1	100.0	-	-	-	-
	YES	0	0.0	-	-	-	-
<b>Amphetamines/Stimulants (abuse)</b>	NO	1	100.0	-	-	-	-
	YES	0	0.0	-	-	-	-

<b>Amphetamines/Stimulants mean value (SD) median</b>		16 (-)	16 (16 – 16)	-	-	-	-
<b>(int. range)</b>							
<b>Amphetamines/Stimulants</b>	NO	1	100.0	-	-	-	-
<b>(lifetime use, regularly use)</b>							
	YES	0	0.0	-	-	-	-
<b>Amphetamines/Stimulants</b>	DAILY	0	0.0	-	-	-	-
<b>(age of most regular period)</b>							
	WEEKLY	0	0.0	-	-	-	-
	LESS	0	0.0	-	-	-	-
<b>Amphetamines/Stimulants</b>	NO	1	100.0	-	-	-	-
<b>(frequency of most regular period)</b>							
	YES	0	0.0	-	-	-	-
<b>Amphetamines/Stimulants</b>	NO	1	100.0	-	-	-	-
<b>(dependence lifetime)</b>							
	YES	0	0.0	-	-	-	-
<b>Amphetamines/Stimulants</b>	SPONTANEOUS USE, ONLY IN PARTIES	1	3.1	-	-	-	-
<b>(abuse lifetime)</b>							
<b>Sedatives (current use&lt;12 months)</b>	NO	31	96.9	32	100.0	0.65+	<0.001
	YES	1	3.1	0	0.0		
<b>Sedatives (use during last week)</b>	NO	0	0.0	-	-	-	-
	YES	0	0.0	-	-	-	-
	NOT APPLICABLE	0	0.0	-	-	-	-
<b>Sedatives (frequency)</b>							
	DAILY	0	0.0	-	-	-	-
	WEEKLY	0	0.0	-	-	-	-
	LESS	0	0.0	-	-	-	-
<b>Sedatives (dependence)</b>							
	NO	0	0.0	-	-	-	-
	YES	0	0.0	-	-	-	-
<b>Sedatives (abuse)</b>							
	NO	0	0.0	-	-	-	-
	YES	0	0.0	-	-	-	-
<b>Sedatives (lifetime use, regularly use)</b>							
	NO	0	0.0	-	-	-	-
	YES	0	0.0	-	-	-	-
<b>Sedatives (age of most regular period)</b>							
	DAILY	0	0.0	-	-	-	-
	WEEKLY	0	0.0	-	-	-	-
	LESS	0	0.0	-	-	-	-
	NO	0	0.0	-	-	-	-

<b>Sedatives (frequency of most regular period)</b>	YES	0	0.0	-	-		
<b>Sedatives (dependence lifetime)</b>	NO	0	0.0	-	-	-	-
	YES	0	0.0	-	-		
<b>Opioids (current use&lt;12 months)</b>	NO	32	100.0	32	100.0	1.00+	<0.001
	YES	0	0.0	0	0.0		
<b>Hallucinogens (current use&lt;12 months)</b>	NO	30	93.8	32	100.0	0.48+	0.001
	YES	2	6.3	0	0.0		
<b>Hallucinogens (use during last week)</b>	NO	2	100.0	-	-	-	-
	YES	0	0.0	-	-		
<b>Hallucinogens, mean value (SD) median (int. range) (number of weeks over last month)</b>		1 (-)	1 (1 – 1)	-	-		-
	NOT APPLICABLE	1	50.0	-	-	-	-
<b>Hallucinogens (frequency)</b>	DAILY	0	0.0	-	-		
	WEEKLY	0	0.0	-	-		
	LESS	1	50.0	-	-		
<b>Hallucinogens (dependence)</b>	NO	2	100.0	-	-	-	-
	YES	0	0.0	-	-		
<b>Hallucinogens (abuse)</b>	NO	2	100.0	-	-	-	-
	YES	0	0.0	-	-		
<b>Hallucinogens, mean value (SD) median (int. range) (lifetime use, age of first use)</b>		17 (1.4)	17 (16 – 18)	-	-		-
<b>Hallucinogens (lifetime use, regularly use)</b>	NO	2	100.0	-	-	-	-
	YES	0	0.0	-	-		
<b>Hallucinogens (age of most regular period)</b>	DAILY	0	0.0	-	-	-	-
	WEEKLY	0	0.0	-	-		
	LESS	0	0.0	-	-		
<b>Hallucinogens (frequency of most regular period)</b>	NO	2	100.0	-	-	-	-
	YES	0	0.0	-	-		
<b>Hallucinogens (dependence lifetime)</b>	NO	2	100.0	-	-	-	-
	YES	0	0.0	-	-		
<b>Hallucinogens (abuse lifetime)</b>	ONLY IN PARTIES	1	3.1	-	-	-	-

<b>Ketamine (current use&lt;12 months)</b>	NO	32	100.0	32	100.0	1.00+	<0.001
	YES	0	0.0	0	0.0		
<b>Other drugs (current use&lt;12 months)</b>	NO	32	100.0	32	100.0	1.00+	<0.001
	YES	0	0.0	0	0.0		

---

+Cohen's kappa (for qualitative variables) ++ICC (for quantitative variables)